ELSEVIER

Wear 195 (1996) 241

WEAR

Author Index of Volume 195

Afaghani, J.E.D., 223

Bai, M., 66, 100, 152
Balazinski, M., 206
Brillard, A., 81
Bueno, M.-A., 192

Campos, A., 53
Chen, Z., 214
Chujo, Y., 178

Dang Van, K., 21
Dharan, C.K.H., 123

Eda, H., 74
Ehni, P.D., 7
El Baradie, M.A., 201
El-Tayeb, N.S.M., 186
Ennajimi, E., 206

Fayeulle, S., 7
Fortin, C., 206
Fouvry, S., 21

Ganghoffer, J.F., 81
Ge, Q., 100
Gibson, E.D., 214
Guo, H., 152

Horaguchi, I., 223
Hsu, S.M., 35, 90, 112, 169
Hutchings, I.M., 232

Jiang, J.-Q., 106
Jianxin, D., 128
Jin, Y., 47

Kapsa, Ph., 21
Kasashima, N., 162
Klim, Z., 206
Kuroshima, Y., 178

Lamy, B., 192
Liu, H., 169
Liu, P., 214

Masuda, M., 178
Mori, K., 162
Mostafa, I.M., 186
Murugappan, M., 1

Nakamoto, T., 223

Rajurkar, K.P., 1
Ramamoorthy, B., 148
Ramesh, S., 148
Renner, M., 192

Saka, N., 133
Schultz, J., 81
Seabra, J., 53
Singer, I.L., 7
Sottomayor, A., 53
Stevenson, A.N.J., 232

Tan, R.-S., 106
Tomita, Y., 74

Ueno, Y., 162

Verhoeven, J.D., 214
Viallier-Raynard, P., 192
Vincent, L., 21

Wang, B.-J., 133
Wang, H., 47
Wang, Y., 35, 90, 112
Wang, Z.Y., 1

Xia, W., 47
Xing, A., 128
Xue, Q., 66, 100, 152

Yamaguchi, K., 223
Yen, B.K., 123
Yoshioka, T., 162

Zhaoqian, L., 128

Elsevier Science S.A.

ELSEVIER

Wear 195 (1996) 243–245

WEAR

Subject Index of Volume 195

Abrasion test
development of the dry sand/rubber wheel abrasion test, 232
Abrasive wear
a study on abrasive resistance of Ni-based coatings with a WC hard phase, 47
a model for the abrasive wear of fiber-reinforced polymer composites, 123
the effect of laminate orientations on friction and wear mechanisms of glass reinforced polyester composite, 186
Additives
wear of 2024 Al–Mo–SiC composites under lubrication, 100
Ag-based composites
spark erosion behavior of silver-based particulate composites, 133
Alumina
the effects of operating parameters and environment on the wear and wear transition of alumina, 90
wear and wear transition mechanisms of ceramics, 112
modeling of microfracture-induced wear and wear transition in sliding of polycrystalline alumina ceramics, 169
Aluminum
tribological properties of SiC whisker and molybdenum particle-reinforced aluminum matrix composites under lubrication, 66
Aluminum matrix composites
wear of 2024 Al–Mo–SiC composites under lubrication, 100
reciprocal sliding wear of SiC particle reinforced Al–Cu aluminum matrix composites against stainless steel, high speed tool steel and ceramics. I. Tribological properties and construction of tribo-maps, 152
Auger spectroscopy
wear behavior of triode-sputtered MoS_2 coatings in dry sliding contact with steel and ceramics, 7

Bonding resin
a study of the ultra precision grinding process on a magnetic disk substrate—development of new bonding materials for fixed abrasives of grinding stone, 74
Boron nitride
cryogenic PCBN turning of ceramic (Si_3N_4), 1

Cemented carbide
the machinability of sintered carbons based on the correlation between tool wear rate and physical and mechanical properties, 178
Ceramic bearings
wear behavior of triode-sputtered MoS_2 coatings in dry sliding contact with steel and ceramics, 7
Ceramic composite
friction and wear behavior of Al_2O_3/TiB_2 composite against cemented carbide in various atmospheres at elevated temperature, 128
Ceramics
cryogenic PCBN turning of ceramic (Si_3N_4), 1
wear and wear transition modeling of ceramics, 35
the effects of operating parameters and environment on the wear and wear transition of alumina, 90
wear and wear transition mechanisms of ceramics, 112
modeling of microfracture-induced wear and wear transition in sliding of polycrystalline alumina ceramics, 169
Clearance angle
the effect of varying the workpiece diameter on the cutting tool clearance angle in tool-life testing, 201
Composite
the effect of laminate orientations on friction and wear mechanisms of glass reinforced polyester composite, 186
sliding wear behavior of deformation-processed Cu–15vol.%Cr in situ composites, 214
Composite coatings
a study on abrasive resistance of Ni-based coatings with a WC hard phase, 47
Composites
a model for the abrasive wear of fiber-reinforced polymer composites, 123
Contact area
modeling of microfracture-induced wear and wear transition in sliding of polycrystalline alumina ceramics, 169
Convergence
a deductive theory of friction. II: Mathematical study, 81
Crack nucleation
theoretical analysis of fatigue cracking under dry friction for fretting loading conditions, 21
Critical damage stress
wear and wear transition modeling of ceramics, 35
Cryogenic turning
cryogenic PCBN turning of ceramic (Si_3N_4), 1
Cu–Cr
sliding wear behavior of deformation-processed Cu–15vol.%Cr in situ composites, 214
Cutting
whisker behaviors and tool wear in cutting of unidirectional SiC whisker-reinforced plastic, 223
Cutting tool
the effect of varying the workpiece diameter on the cutting tool clearance angle in tool-life testing, 201
cutting tool reliability analysis for variable feed milling of 17-4PH stainless steel, 206

Dang Van's fatigue criterion
theoretical analysis of fatigue cracking under dry friction for fretting loading conditions, 21
Deformation processing
sliding wear behavior of deformation-processed Cu–15vol.%Cr in situ composites, 214
Diffraction
measurement of surface finish using an optical diffraction technique, 148
Discrete wavelet transform
prediction of spalling on a ball bearing by applying the discrete wavelet transform to vibration signals, 162

Elsevier Science S.A.

Dry wear
dry sliding wear of an alumina short fibre reinforced Al–Si alloy against steel, 106

Elastohydrodynamic lubrication
non-Newtonian EHL model for traction evaluation in a roller–inner ring contact in a roller bearing, 53
Erosion
spark erosion behavior of silver-based particulate composites, 133
Error estimates
a deductive theory of friction. II: Mathematical study, 81
Existence and uniqueness
a deductive theory of friction. II: Mathematical study, 81

Fiber reinforcement
a model for the abrasive wear of fiber-reinforced polymer composites, 123
Fixed abrasive
a study of the ultra precision grinding process on a magnetic disk substrate—development of new bonding materials for fixed abrasives of grinding stone, 74
Fragmented layer
dry sliding wear of an alumina short fibre reinforced Al–Si alloy against steel, 106
Fretting
theoretical analysis of fatigue cracking under dry friction for fretting loading conditions, 21
Fretting static fatigue
theoretical analysis of fatigue cracking under dry friction for fretting loading conditions, 21
Friction
a deductive theory of friction. II: Mathematical study, 81
reciprocal sliding wear of SiC particle reinforced Al–Cu aluminum matrix composites against stainless steel, high speed tool steel and ceramics. I. Tribological properties and construction of tribo-maps, 152
the effect of laminate orientations on friction and wear mechanisms of glass reinforced polyester composite, 186
tribological investigation of textile fabrics, 192
Friction and wear
friction and wear behavior of Al_2O_3/TiB_2 composite against cemented carbide in various atmospheres at elevated temperature, 128
Friction force
development of the dry sand/rubber wheel abrasion test, 232

Glass laminate
the effect of laminate orientations on friction and wear mechanisms of glass reinforced polyester composite, 186
Grain size
whisker behaviors and tool wear in cutting of unidirectional SiC whisker-reinforced plastic, 223
Graphical filtering
measurement of surface finish using an optical diffraction technique, 148
Grinding stone
a study of the ultra precision grinding process on a magnetic disk substrate—development of new bonding materials for fixed abrasives of grinding stone, 74

Inclined-plane sliding
wear and wear transition mechanisms of ceramics, 112
Indentation
wear and wear transition mechanisms of ceramics, 112
In-process monitoring
prediction of spalling on a ball bearing by applying the discrete wavelet transform to vibration signals, 162

Load
development of the dry sand/rubber wheel abrasion test, 232
Lubrication
non-Newtonian EHL model for traction evaluation in a roller–inner ring contact in a roller bearing, 53
tribological properties of SiC whisker and molybdenum particle-reinforced aluminum matrix composites under lubrication, 66

Machinability of sintered carbon
the machinability of sintered carbons based on the correlation between tool wear rate and physical and mechanical properties, 178
Maximum tensile stress
wear and wear transition modeling of ceramics, 35
Metal matrix composites
tribological properties of SiC whisker and molybdenum particle-reinforced aluminum matrix composites under lubrication, 66
dry sliding wear of an alumina short fibre reinforced Al–Si alloy against steel, 106
Microfracture
modeling of microfracture-induced wear and wear transition in sliding of polycrystalline alumina ceramics, 169
Molybdenum
wear of 2024 Al–Mo–SiC composites under lubrication, 100
MoS_2 coatings
wear behavior of triode-sputtered MoS_2 coatings in dry sliding contact with steel and ceramics, 7
Multiple regression analysis
the machinability of sintered carbons based on the correlation between tool wear rate and physical and mechanical properties, 178

Non-Newtonian behaviour
non-Newtonian EHL model for traction evaluation in a roller–inner ring contact in a roller bearing, 53

Orientation
the effect of laminate orientations on friction and wear mechanisms of glass reinforced polyester composite, 186
whisker behaviors and tool wear in cutting of unidirectional SiC whisker-reinforced plastic, 223

Partial slip
theoretical analysis of fatigue cracking under dry friction for fretting loading conditions, 21
Plasma-spray and post treatment
a study on abrasive resistance of Ni-based coatings with a WC hard phase, 47
Plastically deformed layer
dry sliding wear of an alumina short fibre reinforced Al–Si alloy against steel, 106
Plastic composite
whisker behaviors and tool wear in cutting of unidirectional SiC whisker-reinforced plastic, 223
Polycrystalline diamond
whisker behaviors and tool wear in cutting of unidirectional SiC whisker-reinforced plastic, 223
Polymers
a model for the abrasive wear of fiber-reinforced polymer composites, 123

Reliability
cutting tool reliability analysis for variable feed milling of 17-4PH stainless steel, 206
Removal rate
a study of the ultra precision grinding process on a magnetic disk substrate—development of new bonding materials for fixed abrasives of grinding stone, 74

Roller bearing
non-Newtonian EHL model for traction evaluation in a roller–inner ring contact in a roller bearing, 53
Rolling bearing
prediction of spalling on a ball bearing by applying the discrete wavelet transform to vibration signals, 162
Roughness
measurement of surface finish using an optical diffraction technique, 148
tribological investigation of textile fabrics, 192
Rubber hardness
development of the dry sand/rubber wheel abrasion test, 232

Sanding
tribological investigation of textile fabrics, 192
Silicon carbide
wear and wear transition mechanisms of ceramics, 112
Silicon carbide whisker
whisker behaviors and tool wear in cutting of unidirectional SiC whisker-reinforced plastic, 223
Silicon nitride
wear and wear transition mechanisms of ceramics, 112
Sliding speed
development of the dry sand/rubber wheel abrasion test, 232
Sliding wear
modeling of microfracture-induced wear and wear transition in sliding of polycrystalline alumina ceramics, 169
sliding wear behavior of deformation-processed Cu–15vol.%Cr in situ composites, 214
Solid lubrication
wear behavior of triode-sputtered MoS_2 coatings in dry sliding contact with steel and ceramics, 7
Spalling
prediction of spalling on a ball bearing by applying the discrete wavelet transform to vibration signals, 162
Spark
spark erosion behavior of silver-based particulate composites, 133
Spectral analysis
tribological investigation of textile fabrics, 192
Steel bearings
wear behavior of triode-sputtered MoS_2 coatings in dry sliding contact with steel and ceramics, 7
Stone wear
a study of the ultra precision grinding process on a magnetic disk substrate—development of new bonding materials for fixed abrasives of grinding stone, 74
Stylus measurement
measurement of surface finish using an optical diffraction technique, 148
Surface roughness
a study of the ultra precision grinding process on a magnetic disk substrate—development of new bonding materials for fixed abrasives of grinding stone, 74

Textile fabrics
tribological investigation of textile fabrics, 192
Third body
a deductive theory of friction. II: Mathematical study, 81
TiB_2
friction and wear behavior of Al_2O_3/TiB_2 composite against cemented carbide in various atmospheres at elevated temperature, 128
Tool
whisker behaviors and tool wear in cutting of unidirectional SiC whisker-reinforced plastic, 223
Tool life
the machinability of sintered carbons based on the correlation between tool wear rate and physical and mechanical properties, 178
the effect of varying the workpiece diameter on the cutting tool clearance angle in tool-life testing, 201
Tool wear
cryogenic PCBN turning of ceramic (Si_3N_4), 1
the machinability of sintered carbons based on the correlation between tool wear rate and physical and mechanical properties, 178
Traction
non-Newtonian EHL model for traction evaluation in a roller–inner ring contact in a roller bearing, 53

Variable feed machining
cutting tool reliability analysis for variable feed milling of 17-4PH stainless steel, 206
Vibration
prediction of spalling on a ball bearing by applying the discrete wavelet transform to vibration signals, 162
Viscoplastic behaviour
a deductive theory of friction. II: Mathematical study, 81

Wear
tribological properties of SiC whisker and molybdenum particle-reinforced aluminum matrix composites under lubrication, 66
the effects of operating parameters and environment on the wear and wear transition of alumina, 90
wear of 2024 Al–Mo–SiC composites under lubrication, 100
wear and wear transition mechanisms of ceramics, 112
reciprocal sliding wear of SiC particle reinforced Al–Cu aluminum matrix composites against stainless steel, high speed tool steel and ceramics. I. Tribological properties and construction of tribo-maps, 152
Wear map
reciprocal sliding wear of SiC particle reinforced Al–Cu aluminum matrix composites against stainless steel, high speed tool steel and ceramics. I. Tribological properties and construction of tribo-maps, 152
Wear mechanism
wear and wear transition modeling of ceramics, 35
wear and wear transition mechanisms of ceramics, 112
friction and wear behavior of Al_2O_3/TiB_2 composite against cemented carbide in various atmospheres at elevated temperature, 128
Wear mechanisms
wear behavior of triode-sputtered MoS_2 coatings in dry sliding contact with steel and ceramics, 7
Wear model
wear and wear transition modeling of ceramics, 35
Wear rate
dry sliding wear of an alumina short fibre reinforced Al–Si alloy against steel, 106
Wear transition
the effects of operating parameters and environment on the wear and wear transition of alumina, 90
wear and wear transition mechanisms of ceramics, 112
modeling of microfracture-induced wear and wear transition in sliding of polycrystalline alumina ceramics, 169
Wear transition model
wear and wear transition modeling of ceramics, 35
Workpiece diameter
the effect of varying the workpiece diameter on the cutting tool clearance angle in tool-life testing, 201